

DISCLAIMER

The rules and or regulations set forth herein are designed to provide for the orderly conduct of racing events, to establish minimum acceptable requirements for such events. These rules shall govern the condition of all events, and by participating in these events. No express or implied warranty of safety shall result from publication of or compliance with these rules or regulations. They are intended as a guide for the conduct of the sport and are in no way a guarantee against injury or death to a participant, spectator, or official. The word track shall mean Thunderhill Raceway Park.

2017 Hot Shot Rules and Specifications (Buzz Car)

***All vin plates must remain .. Dash CAN be removed!!**

Upper class drivers CANNOT drop down and drive this class!!!

NO CARS WILL BE ALLOWED TO SWAP CLASSES!!

CARS:

96-inch minimum wheelbase

NO low profile such as Camaro, Firebird, or Mustang

Front & rear tow loop required for wrecker purposes

ENGINE:

MUST be stock for make (Chevy in Chevy, Ford in Ford, Buick in Buick, etc.)

NO modifications

V6 or 4 cylinder engines only

Fuel injection only. No carburetor allowed. No turbos

Stock exhaust must run at least past the driver's doorpost

Stock air filter and breather

Stock ignition

Alternator must work and be in original position

Battery must remain in original position

TRANSMISSION:

Stock automatic or stock standard transmission

DRIVELINE:

Front wheel drive only

Rear end must be stock for make and model

SUSPENSION AND FRAME:

NO altering in any way
Stock shocks in stock position
No adjustable or aluminum shocks

BODY:

Two door or four door

All glass must be removed; windshield may remain if desired

May remove back seat, but cover opening with metal

Doors MUST be welded shut

Dash can be removed

If deemed by track that excessive hulling has been done, you may have to ADD weight

NO cutting of body anywhere

Driver's door may be hulled out for roll cage

Four-point cage may be used, 1 3/4" diameter steel pipe minimum

4" rollover bar may be used also, if using 4" rollover bar an 18" wide 3/8" thickness steel plate must be welded or bolts to outside of drivers door. Plates must extend 18" to the front and 18 " to the rear door seams.

Roll cage cannot go through the firewall or go past the back seat

STOCK MEANS STOCK

\$1000.00 Buy Out

-Swap cars

-Both cars must be running and driving

-Drivers keep seats and belts

-1st time to refuse to sell, lose all money and points for that night

-2nd time to refuse to sell, you cannot run that car again for the rest of the season

-To buy car, you must've ran at least three races, & had to have finished in the top five

-Window nets, fire suits, and fire extinguishers mandatory

ADD ONS:

Seat belt and Harness required. Belts MUST be minimum of 3 inches wide.

Racing seat MANDATORY!!

Steering wheel center must be padded.

Fuel cell may be used. IF fuel cell is used it must be mounted inside a 0.20 gauge metal box by 1 inch steel straps.

Approved helmet and fire suit required.

Fire extinguisher REQUIRED and must be within driver's reach.

WHEELS:

Steel or aluminum wheels.

Maximum 7 inch width wheels, 1" Tolerance. May be double centered.

Oversized lug nuts on all wheels

Steel Racing Wheels Only On Right Front and Right Rear.

Bead Locks allowed on RIGHT FRONT ONLY!!

TIRES:

Maximum size P235 70 R15 Highway DOT only.

NO RACING TIRES!

ALL 4 tires MUST be same size (example: 15, 14, or 13 inch all the way around).

BRAKES:

Must remain stock for make and model of car.

NO adjusters.

NEW RULE:

THE DRIVER WHO WINS THE WEEK BEFORE WILL BE INVERTED THE FOLLOWING WEEK ..

NUMBER OF CARS TO BE INVERTED WILL BE ANNOUNCED.

This will apply to championship races. Therefore, the first place finisher of the race before the championship will be inverted.

ALL DECISIONS OF THE OFFICIALS SHALL BE FINAL.

THIS IS A STOCK CLASS

EVERYTHING MUST BE STOCK UNLESS STATED OTHERWISE ABOVE.

IF IN DOUBT, DON'T DO IT

IF IT'S NOT STOCK, IT'S NOT LEGAL

RACECEIVERS MANDATORY IN EVERY DIVISION

ANY weight lost on track that is NOT painted will belong to track.